This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, please do not report the images to the Image Problem Mailbox.

Google Web Images Groups News Froogle more »
filtering monitoring unsolicited message Search Advanced Search Preferences

Web Results **1** - **10** of about **24,200** for **filtering monitoring unsolicited message** . (**0.55** seconds)

Security Content **Filtering** Spam Protection
... Advanced spam detection technology, disclaimers, mail **monitoring** as well as ... is a server-based email **filtering** program used ... to help get rid of **unsolicited** junk e ...
security.ittoolbox.com/ nav/t.asp?t=323&p=323&h1=323 - 48k - Cached - Similar pages

Anti Spam Software - Stop **Unsolicited** Email Advertisements
... E-Mail Anti Spam **Monitoring** and **Filtering**. ... **Filtering** if sender equals Recipient, and **Filtering** if the ... filtered an e-mail as an **unsolicited** email advertisement ...
www.allaboutprivacy.com/spam-agent.shtml - 15k - Cached - Similar pages

Yahoo! Directory Internet Blocking and **Filtering** Software
... Internet-**Monitoring**-Software.com - provides software that ... of AUP Action Tools, **filtering** and blocking ... from viruses, pornographic material, and **unsolicited** mail ...
dir.yahoo.com/.../Internet_and_World_Wide_Web/ Software/Blocking_and_Filtering/ - 36k - Cached - Similar pages

Network **Filtering Monitoring** Software - Software, Hardware ...
... sends e-mail and filters it to avoid UCE, spam, **unsolicited** e-mail ... best choice for reliable, flexible, easy-to-use Internet **monitoring** and Web **filtering**. ...
security.knowledgestorm.com/.../ Network%20Filtering%20Monitoring%20Software - 101k - Cached - Similar pages

[PDF] Cold SPAM : Alaska State Government and **Unsolicited** Bulk Email
File Format: PDF/Adobe Acrobat - View as HTML
... when it is not actually "**unsolicited** bulk email ... is difficult to imagine an automated **filtering** system that wouldn't require some manual **monitoring** for false ...
mail.state.ak.us/cold-spam.pdf - Similar pages

WSTA CyberLibrary: Internet **Filtering**
... Enterprise-wide Protection against **Unsolicited** Commercial Email ... anti-spam technologies in Brightmail's **filtering** engine. ... The Use of Filtered **Monitoring** in the ...
cyberlibrary.wsta.org/ rlist/term/Internet-Filtering.html - 42k - Cached - Similar pages

ActiveXperts Network Monitor - Microsoft Exchange 2000 and ...
... function by checking more services and **monitoring** more performance counters ... Inbound recipient **filtering**. Reduce **unsolicited** e-mail **messages** by **filtering** inbound ...
www.activexperts.com/activmonitor/functions/exchange/ - 23k - Cached - Similar pages

E-mail spam: Is it a Security Issue?
... and other mass mailings of **unsolicited messages** without an ... enhancement features such as **monitoring**, reporting and ... on their SmartScreen spam **filtering** technology ...
www.windowsecurity.com/articles/Email_Spam.html - 43k - Cached - Similar pages

Anti-Spam Software Product Information
... Content **Filtering**: **Monitoring** and Measuring Web Use Delivers ... RAE Internet **Message** Processing Platform: Technical ... corporate solution to **unsolicited** email (or ...
itresearch.forbes.com/plist/Anti-Spam-Software.html - 54k - Cached - Similar pages

Security Pipeline | News | Spam Costs Employers $1,934 Per ...
... **Filtering** technologies are doing their best to lessen ... it costly for spammers to send **unsolicited messages**. ... Find Enterprise **Monitoring** Software Explore Desktop ...
informationweek.securitypipeline.com/ infrastructure/21402188 - Similar pages

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

filtering monitoring unsolicited me Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

CiteSeer Find: filtering monitoring unsolicited mes Documents Citations

Searching for **PHRASE filtering monitoring unsolicited message context**.
Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web) CSB DBLP
No documents match Boolean query. Trying non-Boolean relevance query.
500 documents found. **Order: relevance to query.**

A Protocol for Removing Communication Intrusion in.. - Wu, Spezialetti, Gupta (1998) (Correct)
A Protocol for Removing Communication Intrusion in **Monitored** Distributed Systems Wanqing Wu Madalene
www.cs.pitt.edu/~gupta/research/Dist/icdcs98.ps

Monitoring and Visualizing Software-Heterogeneous Distributed .. - Jakub Szymaszek (1995) (Correct)
strong selectivity. In MODIMOS it is ensured by **filtering** mechanisms of **monitoring** subsystem as well as **Monitoring** and Visualizing Software-Heterogeneous
iris.ics.agh.edu.pl/~jasz/papers/ersads95.ps.gz

Using Kernel Extensions to Decrease the Latency of User-Level.. - Riesen (1996) (Correct)
. 32 3.5.4 BSD Packet **Filter** .
used in embedded systems. For example, the boot **monitor** of Sun workstations uses Forth to interact with .8 2.1.3 General Purpose CPU as a **Message** Coprocessor .11 2.1.4 Analysis .
ftp.cs.unm.edu/pub/cs_tech_reports/1996/prop.ps.gz

Implementing Mobile IPv6 for Multimedia - Finney, Scott (Correct)
in IPv6 tunnelling /IPv6 Routing Header Ingress **Filter** Avoidance Strategy Reverse Tunnelling Home binding update list. This list is constructed by **monitoring** the source address of any encapsulated packets movement detection be employed by **monitoring unsolicited** Router Advertisement **messages**, other
ftp.comp.lancs.ac.uk/pub/mpg/MPG-98-30.ps.Z

Design of Protocol Independent Management Agent to.. - Subrata Mazumdar Stephen (1993) (Correct) (3 citations)
is publicly available and sufficient to provide **monitoring** capability for most network devices. The cost SNMP Applications CMIP Applications (Get, Set) **Unsolicited Message** NRT -Name Registration Table MPP - CMIP Applications (Get, Set) **Unsolicited Message** NRT -Name Registration Table MPP -Management
www.bell-labs.com/user/mazum/papers/Other/pi_agent.ps

Towards An Object-Oriented Framework For Multi-Domain Management - Bela Ban Ibm (1995) (Correct) (1 citation)
contains other managed objects. Using scoping and **filtering**, it is even possible to access more than one that is relevant to be managed and /or **monitored** (c.f. Fig. 1)Fig. 1: Manager /Agent
to manage the agent. An agent may also send **unsolicited** information asynchronously to the manager e.g.
www.cs.cornell.edu/Info/People/bba/GOM.ps.gz

On-line Avoidance of the Intrusive Effects of Monitoring on.. - Wanqing Wu (1996) (Correct) (1 citation)
On-line Avoidance of the Intrusive Effects of **Monitoring** on Runtime Scheduling Decisions Wanqing Wu
actions, intrusion, distributed programs, **message** passing, local schedulers. 1 Introduction
www.cs.pitt.edu/~gupta/research/Dist/icdcs96a.ps

Monitoring of Distributed Systems - Mansouri-Samani (Correct)
can perform common processing activities such as **filtering**, composition and notification on event reports Technology and Medicine Department of Computing **Monitoring** of Distributed Systems Masoud Mansouri-Samani
www.iti.informatik.tu-darmstadt.de/~kehr/bib/events/GEM-thesis.ps.gz

Proposal for an Event Filter Prototype based on PC Computers in .. - Authors Bee (Correct)
Atlas DAQ Proposal for an Event **Filter** Prototype based on PC Computers in the DAQ-1
Filter should also be able to perform online **monitoring** of the detector by using the full event
shared memory communication (Ethernet only permits **message** passing techniques)The connexion of the
atddoc.cern.ch/Atlas/Notes/../postscript/Note045.ps

Intelligent Filtering; Based on Keywords Only? - Lantz, Kilander (1995) (Correct) (1 citation)
Intelligent **Filtering** Based on Keywords Only? Ann Lantz Fredrik
role in the user's decision to read or reject a **message**. The IntFilter project aims to develop a **message**

www.dsv.su.se/~fk/if_Doc/chi95.ps.Z

Debugging a Parallel Program: Capturing Inter-Processor.. - Thomas Gross (1992) (Correct) (1 citation)
Building a special-purpose hardware performance **monitor** is too costly in most scenarios, and the use of
is treated by a uniprocessor debugger: after a **message** has been sent, it is invisible and cannot be
www.cs.cmu.edu/afs/cs.cmu.edu/project/iwarp/archive/fx-papers/dw92.ps

Performance Analysis of Distributed Applications with ANSAmon - Meyer, Heineken, Popien (1995) (Correct) (2 citations)
After the recognition of events it is possible to **filter** certain events. **Filtering** checks if data in event
a distributed applications behaviour needs to be **monitored**. In this paper we present a distributed **monitor**
the application. Each event statement forwards a **message** to the **monitor** system containing event type and
www-i4.informatik.rwth-aachen.de/RESEARCH/Papers/1995/95-meye-1.ps.gz

Standardization of Event Traces Considered Harmful or Is an.. - Mohr (1993) (Correct) (3 citations)
3 4 5 6 **monitoring** layer event trace access layer **filtering** layer tool support layer tool layer application
Implementation of Object-Independent Event Trace **Monitoring** and Analysis Systems Possible? Bernd Mohr a
www.cs.uoregon.edu/research/paracomp/proj/tau/../papers/cnrs92.ps.gz

Supporting Timing-Channel Free Computations In Multilevel .. - Sandhu, Thomas, Jajodia (1991) (Correct) (1 citation)
paper [3]Jajodia and Kogan proposed a **message filter** approach to enforcing mandatory security in
that the **message** manager acts as a reference **monitor**, i.e.it cannot be bypassed in accessing
an earlier paper [3]Jajodia and Kogan proposed a **message filter** approach to enforcing mandatory security
www.list.gmu.edu/confrnc/ifip/ps_ver/i91oo.ps

On Using Intelligent Network Interface Cards to.. - Fiuczynski, Martin, .. (1998) (Correct) (2 citations)
directly related to multimedia, range from packet **filtering** (e.g.Lazy Receive Processing [2]cluster
data using peer-to-peer DMA and communicate via **message** queues. Finally, overall system performance can
enables extensions and SPINE to run in the **context** of a single address space. Our design provides
www.cs.berkeley.edu/~rmartin/papers/mef-nossdav98.ps

Disseminating Active Map Information to Mobile Hosts - Schilit, Theimer (1994) (Correct) (26 citations)
is that in crowded meeting rooms or large regions **filtering** must be done in order to obtain a manageable
ffl Finally, users frequently wish to **monitor** activity at a particular location. A typical
be informed of the frequent occupant changes. High **message** volume may also occur in high traffic locations
ftp.parc.xerox.com/pub/schilit/AMS.ps.Z

Analyzing the Latency of the Totem Multicast Protocols - Thomopoulos Moser (1998) (Correct)
and four-ring networks shows that, with **message filtering** in the gateways, multiple-ring networks can
probability density functions for the latency to **message** delivery for the Totem multicast protocols,
alpha.ece.ucsb.edu/ftp/GENERAL/ic3n97.ps.Z

Message-Passing Performance of Various Computers - Dongarra, Dunigan (1995) (Correct) (33 citations)
Message-Passing Performance of Various Computers y Jack
of n 1=2 should only be considered in the **context** of the underlying metrics ff, fi, fl, and h. For
may also affect performance. For small **messages**, **context**-switch times may contribute to delays. Touching
www.netlib.org/utk/papers/latbw.ps

There is more to Context than Location: Environment.. - Schmidt, Beigl.. (1998) (Correct) (2 citations)
for **context**-based information and communication **filtering**. Examples of such applications are a **context**
information about certain parts of a **context** is to **monitor** application usage of users. Another approach to
An example of such a computer is Apple's Newton **Message**Pad which has a screen of of 13 x 9 cm. The
www.teco.uni-karlsruhe.de/~albrecht/publication/imc98.ps

Defending against Unsolicited Commercial Email - Approach.. - Bonkowski, Simons (1998) (Correct)
Simons Describes a white-list-based approach for **filtering** onlicited commercial e-mai
Defending against **Unsolicited** Commercial Email |Approach and
At this point the mail client receives the whole **message** and stores it on the hard disk. Now the user
research.cys.de/simons/publications/defending_against_uce/defending_against_uce.ps

First 20 documents Next 20

Try your query at: Google (CiteSeer) Google (Web) CSB DBLP

CiteSeer - Copyright NEC and IST

L Number	Hits	Search Text	DB	Time stamp
1	13389	345/733-749,771,864;709/200,203,206,214,217,224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 10:46
2	2077	725/9-13,32,42,46,47,37;719/313,318.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 10:46
3	391	(345/733-749,771,864;709/200,203,206,214,217,224.ccls. 725/9-13,32,42,46,47,37;719/313,318.ccls.) and monitoring and filtering and message and (context environmnet condition state) with user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 10:48
4	311	((345/733-749,771,864;709/200,203,206,214,217,224.ccls. 725/9-13,32,42,46,47,37;719/313,318.ccls.) and monitoring and filtering and message and (context environmnet condition state) with user) and (evaluat$4 determin$4) with user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 10:50
5	4	(((345/733-749,771,864;709/200,203,206,214,217,224.ccls. 725/9-13,32,42,46,47,37;719/313,318.ccls.) and monitoring and filtering and message and (context environmnet condition state) with user) and (evaluat$4 determin$4) with user) and pars$4 with message and compar$4 with (attribut$4 metadata)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 10:51
6	5	(((345/733-749,771,864;709/200,203,206,214,217,224.ccls. 725/9-13,32,42,46,47,37;719/313,318.ccls.) and monitoring and filtering and message and (context environmnet condition state) with user) and (evaluat$4 determin$4) with user) and pars$4 with message and compar$4 same (attribut$4 metadata)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 10:51
7	5	((((345/733-749,771,864;709/200,203,206,214,217,224.ccls. 725/9-13,32,42,46,47,37;719/313,318.ccls.) and monitoring and filtering and message and (context environmnet condition state) with user) and (evaluat$4 determin$4) with user) and pars$4 with message and compar$4 same (attribut$4 metadata)) and user with (interest$4 preferences policies profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 10:52
8	1	(((((345/733-749,771,864;709/200,203,206,214,217,224.ccls. 725/9-13,32,42,46,47,37;719/313,318.ccls.) and monitoring and filtering and message and (context environmnet condition state) with user) and (evaluat$4 determin$4) with user) and pars$4 with message and compar$4 same (attribut$4 metadata)) and user with (interest$4 preferences policies profile)) and (presenting privid$4) with (information message) with user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 10:53
9	164	(presenting privid$4) with (information message) with user same context	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 10:53
10	4	((presenting privid$4) with (information message) with user same context) and filtering and parsing and comparing and match$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 10:56
11	25	((presenting privid$4) with (information message) with user same context) and receiv$4 with indication same (information game)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 10:57
12	0	(((presenting privid$4) with (information message) with user same context) and receiv$4 with indication same (information game)) and virtual near device with generat$4 same user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 10:57